




QUAKE
MASONRY DRILL BITS

QUAKE TOOLS INC
1353 Riverstone Pkwy STE 120-262 CANTON, GA 30114
Phone Number: 1-888-662-6167
Info@quakebits.com
www.quakepowertools.com

CONSTRUCTION TOOLS

WORLD'S FINEST MASONRY AND CONCRETE DRILL BITS



QUAKE
MASONRY DRILL BITS

QUAKE TOOLS INC

DRILLING , FASTENER SYSTEM, PNEUMATIC TOOLS



Quake Power Tools Inc. is focused on delivering the Highest Quality Products to our customers while also offering Affordability. Our selection of Pneumatic Nail Guns and Drill Bits are sure to meet the demands of the toughest jobs.

TABLE OF CONTENTS

1-2	SDS-PLUS Shank Electric Drill Bit
3-4	SDS-MAX Shank Electric Drill Bit
5-6	Hex Shank Electric Drill Bit
7	Masonry Drill Bit
8	Glass Drill Bit
8	SDS-Plus Shank Hexagonal Body Drill Bit
9	Adapter
10	Drill Bit Sets
11-14	Chisel
14	Router Bits
15	Hole Saw
16	Accessories & Packing



CAUTION: Be sure to use all necessary Personal Protective Equipment when working with power tools or drilling equipment.

www.quakepowertools.com



QK0501
SDS-Plus Shank Electric Hammer Drill Bits



B

Type B(B1) : Our Drill Bits are made from quality alloy structured steel with a high quality carbide tip and brazed at a temperature of 1562°F/850°C.
Application: Concrete, Clinker, Masonry, Stone.
Flute available: "W" Flute, "U" Flute, "L" Flute.



Item No.	Diameter (Inch)	Total length (Inch)	Work length (Inch)	Item No.	Diameter (Inch)	Total length (Inch)	Work length (Inch)
QK050104110	5/32	4	1-7/8	QK050110160	25/64	6	3-47/64
QK050105110	3/16	4	1-7/8	QK050110210	25/64	8	5-1/2
QK050105160	3/16	6	3-47/64	QK050110260	25/64	10	7-9/32
QK050155110	7/32	4	1-7/8	QK050110310	25/64	12	9-1/16
QK050155160	7/32	6	3-47/64	QK050110360	25/64	14	11-1/32
QK050106110	15/64	4	1-7/8	QK050110450	25/64	18	14
QK050106160	15/64	6	3-47/64	QK050110600	25/64	24	19-11/16
QK050106210	15/64	8	5-1/2	QK050110800	25/64	32	27-15/64
QK050106260	15/64	10	7-9/32	QK050111160	7/16	6	3-47/64
QK050165110	1/4	4	1-7/8	QK050111210	7/16	8	5-1/2
QK050165160	1/4	6	3-47/64	QK050111260	7/16	10	7-9/32
QK050165210	1/4	8	5-1/2	QK050111310	7/16	12	9-1/16
QK050165260	1/4	10	7-9/32	QK050112160	15/32	6	3-47/64
QK050165310	1/4	12	9-29/64	QK050112210	15/32	8	5-1/2
QK050107110	9/32	4	1-7/8	QK050112260	15/32	10	7-9/32
QK050107160	9/32	6	3-47/64	QK050112310	15/32	12	9-1/16
QK050107210	9/32	8	5-1/2	QK050112360	15/32	14	10-53/64
QK050107260	9/32	10	7-9/32	QK050112450	15/32	18	13-25/32
QK050108110	5/16	4	1-7/8	QK050112600	15/32	24	19-19/64
QK050108160	5/16	6	3-47/64	QK050112800	15/32	32	26-49/64
QK050108210	5/16	8	5-1/2	QK0501121000	15/32	40	34-1/4
QK050108260	5/16	10	7-9/32	QK050113160	33/64	6	3-47/64
QK050108310	5/16	12	9-29/64	QK050113210	33/64	8	5-1/2
QK050108450	5/16	18	14	QK050113260	33/64	10	7-9/32
QK050109160	11/32	6	3-47/64	QK050113310	33/64	12	9-1/16
QK050109210	11/32	8	5-1/2	QK050114160	9/16	6	3-5/16
QK050109260	11/32	10	7-9/32	QK050114210	9/16	8	5-5/16
QK050195160	3/8	6	3-47/64	QK050114260	9/16	10	7-3/32
QK050110110	25/64	4	1-7/8	QK050114310	9/16	12	9-1/16

Crosshead (+) SDS-Plus Shank Electric Hammer Drill Bits



B1

Type B(B1) : Our Drill Bits are made from quality alloy structured steel with a high quality carbide tip and brazed at a temperature of 1562°F/850°C.
Application: Concrete, Clinker, Masonry, Stone.
Flute available: "W" Flute, "U" Flute, "L" Flute.



Item No.	Diameter (Inch)	Total length (Inch)	Work length (Inch)	Item No.	Diameter (Inch)	Total length (Inch)	Work length (Inch)
QK050114450	9/16	18	13-25/32	QK050120300	25/32	12	8-15/32
QK050114600	9/16	24	19-19/64	QK050120360	25/32	14	10-41/64
QK050114800	9/16	32	26-49/64	QK050120450	25/32	18	13-25/32
QK0501141000	9/16	40	34-1/4	QK050120600	25/32	24	19-19/64
QK050115160	19/32	6	3-47/64	QK050120800	25/32	32	26-3/8
QK050115210	19/32	8	5-5/16	QK0501201000	25/32	40	33-15/32
QK050115260	19/32	10	7-3/32	QK050122250	7/8	10	6-11/16
QK050115310	19/32	12	9-1/16	QK050122300	7/8	12	8-15/32
QK050115450	19/32	18	13-25/32	QK050122360	7/8	14	10-41/64
QK050115600	19/32	24	19-19/64	QK050122450	7/8	18	13-25/32
QK050116160	5/8	6	3-47/64	QK050122600	7/8	24	19-19/64
QK050116210	5/8	8	5-5/16	QK050122800	7/8	32	26-3/8
QK050116260	5/8	10	7-3/32	QK0501221000	7/8	40	33-15/32
QK050116310	5/8	12	8-55/64	QK050123250	29/32	10	6-11/16
QK050116360	5/8	14	10-41/64	QK050123300	29/32	12	8-15/32
QK050116450	5/8	18	13-25/32	QK050123450	29/32	14	13-25/32
QK050116600	5/8	24	19-19/64	QK050124250	15/16	10	6-11/16
QK050116800	5/8	32	26-3/8	QK050124450	15/16	18	13-25/32
QK0501161000	5/8	40	33-15/32	QK050125250	1	10	6-11/16
QK050117210	43/64	8	5-5/16	QK050125360	1	14	10-41/64
QK050118200	23/32	8	4-59/64	QK050125450	1	18	13-25/32
QK050118300	23/32	12	8-15/32	QK050125600	1	24	19-19/64
QK050118360	23/32	14	10-41/64	QK050125800	1	32	26-3/8
QK050118450	23/32	18	13-25/32	QK0501251000	1	40	33-15/32
QK050118600	23/32	24	19-19/64	QK050126250	1-1/16	10	6-1/2
QK050118800	23/32	32	26-3/8	QK050126450	1-1/16	18	13-25/32
QK0501181000	23/32	40	33-15/32	QK050128250	1-1/8	10	6-1/2
QK050119200	3/4	8	4-59/64	QK050128450	1-1/8	18	13-25/32
QK050119450	3/4	18	13-25/32	QK050130450	1-3/16	18	13-25/32
QK050120200	25/32	8	4-59/64	QK050132450	1-1/4	18	13-25/32

QK0502
SDS-MAX Shank Electric Hammer Drill Bits



Type B(B1) : Our Drill Bits are made from quality alloy structured steel with a high quality carbide tip and brazed at a temperature of 1562°F/850°C.
Application: Concrete, Clinker, Masonry, Stone.
Flute available: "W" Flute, "U" Flute, "L" Flute.

Item No.	Diameter (Inch)	Total length (Inch)	Work length (Inch)	Item No.	Diameter (Inch)	Total length (Inch)	Work length (Inch)
QK050210280	25/64	11	5-1/2	QK0502161000	5/8	40	33-55/64
QK050210400	25/64	15-3/4	10	QK050218280	23/32	11	5-1/2
QK050210600	25/64	24	18-1/8	QK050218400	23/32	15-3/4	10
QK050212280	15/32	11	5-1/2	QK050218505	23/32	20	14-3/8
QK050212400	15/32	15-3/4	10	QK050218600	23/32	24	18-1/8
QK050212505	15/32	20	14-3/8	QK050218700	23/32	28	22-1/16
QK050212600	15/32	24	18-1/8	QK050218800	23/32	32	25-63/64
QK050212700	15/32	28	22-1/16	QK050218900	23/32	36	29-59/64
QK050212800	15/32	32	25-63/64	QK0502181000	23/32	40	33-55/64
QK050212900	15/32	36	29-59/64	QK050220280	25/32	11	5-1/2
QK050214280	9/16	11	5-1/2	QK050220400	25/32	15-3/4	10
QK050214400	9/16	15-3/4	10	QK050220505	25/32	20	14-3/8
QK050214505	9/16	20	14-3/8	QK050220600	25/32	24	18-1/8
QK050214600	9/16	24	18-1/8	QK050220700	25/32	28	22-1/16
QK050214700	9/16	28	22-1/16	QK050220800	25/32	32	25-63/64
QK050214800	9/16	32	25-63/64	QK050220900	25/32	36	29-59/64
QK050214900	9/16	36	29-59/64	QK0502201000	25/32	40	33-55/64
QK0502141000	9/16	40	33-55/64	QK050222280	7/8	11	5-1/2
QK050216280	5/8	11	5-1/2	QK050222400	7/8	15-3/4	10
QK050216400	5/8	15-3/4	10	QK050222505	7/8	20	14-3/8
QK050216505	5/8	20	14-3/8	QK050222600	7/8	24	18-1/8
QK050216600	5/8	24	18-1/8	QK050222700	7/8	28	22-1/16
QK050216700	5/8	28	22-1/16	QK050222800	7/8	32	25-63/64
QK050216800	5/8	32	25-63/64	QK050222900	7/8	36	29-59/64
QK050216900	5/8	36	29-59/64	QK0502221000	7/8	40	33-55/64

Crosshead (+) SDS-MAX Shank Electric Hammer Drill Bits



Type B(B1): Our Drill Bits are made from quality alloy structured steel with a high quality carbide tip and brazed at a temperature of 1562°F/850°C.
Application: Concrete, Clinker, Masonry, Stone.
Flute available: "W" Flute, "U" Flute, "L" Flute.

Item No.	Diameter (Inch)	Total length (Inch)	Work length (Inch)	Item No.	Diameter (Inch)	Total length (Inch)	Work length (Inch)
QK050225280	1	11	5-1/2	QK050232400	1-1/4	15-3/4	10
QK050225400	1	15-3/4	10	QK050232505	1-1/4	20	14-3/8
QK050225505	1	20	14-3/8	QK050232600	1-1/4	24	18-1/8
QK050225600	1	24	18-1/8	QK050232700	1-1/4	28	22-1/16
QK050225700	1	28	22-1/16	QK050232800	1-1/4	32	25-63/64
QK050225800	1	32	25-63/64	QK050232900	1-1/4	36	29-59/64
QK050225900	1	36	29-59/64	QK0502321000	1-1/4	40	33-55/64
QK0502251000	1	40	33-55/64	QK050235280	1-3/8	11	5-1/2
QK050228280	1-1/8	11	5-1/2	QK050235400	1-3/8	15-3/4	10
QK050228400	1-1/8	15-3/4	10	QK050235505	1-3/8	20	14-3/8
QK050228505	1-1/8	20	14-3/8	QK050235600	1-3/8	24	18-1/8
QK050228600	1-1/8	24	18-1/8	QK050235700	1-3/8	28	22-1/16
QK050228700	1-1/8	28	22-1/16	QK050235800	1-3/8	32	25-63/64
QK050228800	1-1/8	32	25-63/64	QK050235900	1-3/8	36	29-59/64
QK050228900	1-1/8	36	29-59/64	QK0502351000	1-3/8	40	33-55/64
QK0502281000	1-1/8	40	33-55/64	QK0502351200	1-3/8	48	41-47/64
QK050230280	1-3/16	11	5-1/2	QK050238280	1-1/2	11	5-1/2
QK050230400	1-3/16	15-3/4	10	QK050238400	1-1/2	15-3/4	10
QK050230505	1-3/16	20	14-3/8	QK050238505	1-1/2	20	14-3/8
QK050230600	1-3/16	24	18-1/8	QK050238600	1-1/2	24	18-1/8
QK050230700	1-3/16	28	22-1/16	QK050238700	1-1/2	28	22-1/16
QK050230800	1-3/16	32	25-63/64	QK050238800	1-1/2	32	25-63/64
QK050230900	1-3/16	36	29-59/64	QK050238900	1-1/2	36	29-59/64
QK0502301000	1-3/16	40	33-55/64	QK0502381000	1-1/2	40	33-55/64
QK050232280	1-1/4	11	5-1/2	QK0502381200	1-1/2	48	41-47/64

Hex Shank Electric Hammer Drill Bits




Crosshead (+) Hex Shank Electric Hammer Drill Bits

[illegible][illegible]

QK0504

Black & White and Sandblasted Masonry Drill Bits



Type: Our Drill Bits are made from quality alloy structured steel with a high quality carbide tip and brazed at a temperature of 1562°F/850°C.
Application: Concrete, Clinker, Masonry, Stone.
Flute available: "W" Flute, "U" Flute, "L" Flute.

Item No.	Diameter (Inch)	Total length (Inch)	Work length (Inch)
QK050403060	1/8	2-3/8	1-3/16
QK050404075	5/32	3	1-9/16
QK050404585	11/64	3-5/16	1-31/32
QK050405085	3/16	3-5/16	1-31/32
QK050405150	3/16	6	3-9/16
QK050455085	7/32	3-5/16	1-31/32
QK050455150	7/32	6	3-9/16
QK050406100	15/64	4	2-3/8
QK050406150	15/64	6	3-9/16
QK050406200	15/64	8	5-1/2
QK050406300	15/64	12	8
QK050406400	15/64	15-3/4	12
QK050465100	1/4	4	2-3/8
QK050465150	1/4	6	3-9/16
QK050465200	1/4	8	5-1/2
QK050465300	1/4	12	8
QK050465400	1/4	15-3/4	12
QK050407100	9/32	4	2-3/8
QK050407150	9/32	6	3-9/16
QK050408120	5/16	4-25/32	3-3/16
QK050408200	5/16	8	5-1/2
QK050408300	5/16	12	8-21/32
QK050408400	5/16	15-3/4	12
QK050408600	5/16	24	18
QK050409120	11/32	4-25/32	3-3/16
QK050409200	11/32	8	5-1/2
QK050410120	25/64	4-25/32	3-3/16
QK050410200	25/64	8	5-1/2
QK050410300	25/64	12	8
QK050410400	25/64	15-3/4	12
QK050410600	25/64	24	18
QK050411150	7/16	6	3-9/16

Item No.	Diameter (Inch)	Total length (Inch)	Work length (Inch)
QK050411200	7/16	8	5-1/2
QK050412150	15/32	6	3-9/16
QK050412200	15/32	8	5-1/2
QK050412300	15/32	12	8
QK050412400	15/32	15-3/4	12
QK050412600	15/32	24	18
QK050413150	33/64	6	3-9/16
QK050413400	33/64	15-3/4	12
QK050414150	9/16	6	3-9/16
QK050414200	9/16	8	5-1/2
QK050414300	9/16	12	8
QK050414400	9/16	15-3/4	12
QK050414600	9/16	24	18
QK050415150	19/32	6	3-9/16
QK050416150	5/8	6	3-9/16
QK050416300	5/8	12	8
QK050416400	5/8	15-3/4	12
QK050416600	5/8	24	18
QK050418160	23/32	6	4
QK050418300	23/32	12	8
QK050418400	23/32	15-3/4	12
QK050418600	23/32	24	18
QK050420160	25/32	6	4
QK050420300	25/32	12	8
QK050420400	25/32	15-3/4	12
QK050420600	25/32	24	18
QK050422160	7/8	6	4
QK050422400	7/8	15-3/4	12
QK050422600	7/8	24	18
QK050425160	1	6	4
QK050425400	1	15-3/4	12
QK050425600	1	24	18

QK0505

Glass Drill Bits

Type: Glass drill bits are made of medium-quality alloy structured steel with special grade carbide tip.
Application: Glass, Tile, Mirrors, Ceramics.

Item No.	Diameter (Inch)	Total length (Inch)
QK050503060	1/8	2-3/8
QK050504060	5/32	2-3/8
QK050505060	3/16	2-3/8
QK050506060	15/64	2-3/8
QK050507080	9/32	3-3/16

Item No.	Diameter (Inch)	Total length (Inch)
QK050508080	5/16	3-3/16
QK050510100	25/64	4
QK050512100	15/32	4
QK050514100	9/16	4
QK050516100	5/8	4



QK0508

SDS Plus Shank Hexagonal Body Hammer Drill Bits

Type: Our Drill Bits are made from quality alloy structured steel with a high quality carbide tip and brazed at a temperature of 1562°F/850°C.
Application: Concrete, Clinker, Masonry, Stone.
Flute available: "W" Flute, "U" Flute, "L" Flute.

Item No.	Diameter (Inch)	Total length (Inch)	Work length (Inch)
QK050858160	15/64	6	3-3/16
QK050858210	15/64	8	5-1/8
QK050806160	15/64	6	3-3/16
QK050806210	15/64	8	5-1/8
QK050865160	1/4	6	3-3/16
QK050865210	1/4	8	5-1/8
QK050865260	1/4	10	7-3/32
QK050807160	9/32	6	3-3/16
QK050807210	9/32	8	5-1/8
QK050807260	9/32	10	7-3/32

Item No.	Diameter (Inch)	Total length (Inch)	Work length (Inch)
QK050807310	9/32	12	9-1/16
QK050874180	19/64	7	4
QK050874210	19/64	8	5-1/8
QK050874260	19/64	10	7-3/32
QK050874310	19/64	12	9-1/16
QK050808160	5/16	6	3-3/16
QK050808210	5/16	8	5-1/8
QK050808260	5/16	10	7-3/32
QK050808310	5/16	12	9-1/16



QK0506

SDS-Plus Shank 1/2" Adapter



QK050601 1/2" *20UNF



QK050602 1/2" *20UNF

SDS-Plus Quick Lock Holders



QK050603 SDS-PLUS TO SDS-MAX



QK050604 SDS-PLUS TO HEXAGON



QK050605 SDS-PLUS TO KANGO



QK0507

Drill Bit Sets-All kinds of sets are available as per customers' request.

Item No. QK05070301	
Type	Hammer Drill Bits
3PCS / SET	3/16,15/64×4, 5/16×6

Item No. QK05070302	
Type	Hammer Drill Bits
3PCS / SET	15/64, 5/16, 25/64×6

Item No. QK05070401	
Type	Hammer Drill Bits
4PCS / SET	3/16, 15/64, 5/16, 25/64×6

Item No. QK05070601	
Type	Hammer Drill Bits
6PCS / SET	25/64, 15/32, 9/16, 5/8, 23/32, 25/32×18

Item No. QK05070701	
Type	Hammer Drill Bits
7PCS / SET	3/16, 15/64, 5/16×4, 15/64, 5/16, 25/64, 15/32×6



CHISEL



QK050801A




QK050801B




QK050801D



QK050802A



QK050802C



QK050802B

Item No.	D	L
QK050801A	9/16	10
QK050801A	43/64	11
QK050801A	43/64	18

Item No.	D	L	B
QK050801B	9/16	10	25/32
QK050801B	9/16	10	1-9/16
QK050801B	9/16	10	2
QK050801B	9/16	10	3
QK050801B	43/64	11	1
QK050801B	43/64	11	1-9/16
QK050801B	43/64	11	2
QK050801B	43/64	11	2-3/8
QK050801B	43/64	11	3
QK050801B	43/64	18	1


Item No.	D	L
QK050801D	9/16	10
QK050801D	43/64	11
QK050801D	43/64	18

Item No.	D	L
QK050802A	23/32	12
QK050802A	23/32	14
QK050802A	23/32	15-3/4
QK050802A	23/32	18
QK050802A	23/32	24

Item No.	D	L	B
QK050802B	23/32	12	1
QK050802B	23/32	14	1
QK050802B	23/32	15-3/4	1
QK050802C	23/32	12	1-9/16
QK050802B	23/32	18	1
QK050802C	23/32	12	3
QK050802B	23/32	24	1




QK050803A




QK050803B




QK050804A



QK050816A



QK050805A



QK050805C

Item No.	D	L
QK050803A	43/64	11
QK050803A	43/64	18
QK050803A	43/64	24
QK050803A	53/64	11
QK050803A	53/64	12-43/64
QK050803A	53/64	18

Item No.	D	L	B
QK050803B	43/64	11	1
QK050803B	43/64	11	1-9/16
QK050803B	43/64	11	2
QK050803B	43/64	11	2-3/8
QK050803B	43/64	11	3
QK050803B	43/64	18	1
QK050803B	43/64	24	1-9/16
QK050803B	53/64	11	1
QK050803B	53/64	11	3
QK050803B	53/64	12-43/64	1
QK050803B	53/64	18	1


Item No.	D	L
QK050804A	43/64	11

Item No.	D	L	B
QK050816A	1-3/16	17-5/16	5-9/32


Item No.	D	L	L1
QK050805A	1-1/8	20-7/16	2-9/32

Item No.	D	L	L1	B
QK050805C	1-1/8	20-7/16	2-9/32	1-3/8


CHISEL




QK050806




QK050808A




QK050808B




QK050810A



QK050810C



QK050814A



QK050814B

Item No.	D	L	L1	B
QK050806	59/64	18	1-1/4	1

Item No.	D	D1	L	L1	L2
QK050808A	1	1-5/8	22-1/2	4-1/4	15/32


Item No.	D	D1	L	L1	L2	B
QK050808B	1	1-5/8	22-1/2	4-1/4	15/32	1-3/16

Item No.	D	D1	L	L1	L2
QK050810A	37/64	1-1/8	12	2-3/8	25/64


Item No.	D	D1	L	L1	L2	B
QK050810C	37/64	1-1/8	12	2-3/8	25/64	2

Item No.	D	D1	L	L1	L2	L3
QK050814A	1-1/32	1-9/16	18	15/32	3-5/32	33/64

Item No.	D	D1	L	L1	L2	L3	B
QK050814B	1-1/32	1-9/16	18	15/32	3-5/32	33/64	1



QK050815A




QK050815B



QK050807

Item No.	D	L	L1
QK050815A	1-3/16	16-9/64	1-9/16

Item No.	D	L	L1	B
QK050815B	1-3/16	16-9/64	1-9/16	1-3/8



QK050813C

SETS OR INDIVIDUAL ROUTER BITS WITH DIFFERENT SPECIFICATION ARE AVAILABLE PER CUSTOMERS' REQUEST.



QK0712002
12PCS/SET ROUTER BIT



QK0715003
15PCS/SET ROUTER BIT



Individual Router Bit

QK0509
Hole Saw Set



Item No.	Size
QK050965	2-1/2 + SDS Shank 4
QK050980	3-3/16 + SDS Shank 4
QK05096580	2-1/2 + 3-3/16 + SDS Shank 4

HOLE SAW



D	Z	D	Z
1-3/16	5	3-47/64	11
1-3/8	5	4	12
1-9/16	5	4-5/32	12
1-25/32	6	4-11/32	12
2	6	4-9/16	13
2-11/64	6	4-25/32	13
2-3/8	7	4-59/64	13
2-9/16	8	5-1/8	13
2-3/4	9	5-5/16	13
3	9	5-1/2	15
3-5/32	10	6	15
3-11/32	10	6-5/16	17
3-9/16	11	6-5/8	17



SDS-PLUS SHANK
Ø5/8" / Ø7/8" × 4"
Ø5/8" / Ø7/8" × 6"
Ø5/8" / Ø7/8" × 9"
Ø5/8" / Ø7/8" × 12"
Ø5/8" / Ø7/8" × 14"
Ø5/8" / Ø7/8" × 18"
Ø5/8" / Ø7/8" × 20"



SDS-MAX SHANK
Ø5/8" / Ø7/8" × 6"
Ø5/8" / Ø7/8" × 9"
Ø5/8" / Ø7/8" × 12"
Ø5/8" / Ø7/8" × 14"
Ø5/8" / Ø7/8" × 18"
Ø5/8" / Ø7/8" × 20"

ACCESSORIES &
PACKING OPTIONS



Diamond Core Drill
Ø = 1/8, 5/32, 3/16, 15/64, 5/16, 25/64, 15/32, 9/16, 19/32, 5/8, 23/32, 25/32, 7/8, 29/32, 15/16, 1, 1-1/32, 1-1/8, 1-3/16, 1-1/4, 1-3/8, 1-1/2, 1-9/16, 1-21/32, 1-25/32, 1-7/8, 2, 2-3/32, 2-11/64, 2-3/8, 2-3/4, 3, 3-5/32, 3-11/32, 3-9/16, 3-9/16, 4, 4-5/32, 4-11/32, 4-25/32, 4-59/64



TCT Hole Saw
Ø = 5/8, 3/4, 25/32, 1, 1-1/32, 1-1/8, 1-3/16, 1-1/4, 1-3/8, 1-1/2, 1-9/16, 1-21/32, 1-25/32, 1-7/8, 2, 2-3/64, 2-11/64, 2-9/32, 2-3/8

PVC Bag
Transparent PVC Tube
PVC Tube
Hanging Tag #1
Hanging Tag #2
Hanging Tag #3
Hanging Tag #4



Hanging Tag #5



3PCS SDS Chisel Set



4PCS SDS Chisel Set